



Certificate of Conformity with European standards for Components and Systems

Number of Certificate

Valid from
dd-mm-yyyy

Valid until
dd-mm-yyyy

EN-ST-000087

26-05-2019

25-05-2023

Subject matter of Certificate:

**Magnetic contact grade 2
MC 240 ap/up**

Owner of Certificate:

**Alarmtech Sweden AB
Staffans Vag 6A
192 78 SOLLENTUNA
SCHWEDEN**

Basis for certification:

EN 50131-2-6:2008

Use, the product disposes of the following parameters:

Intrusion and hold-up systems, Grade 2

The tests were carried out at VdS Schadenverhütung GmbH
and the results are documented in **test report:**

STE08/0107-EN-MC240

VdS Schadenverhütung GmbH
Certification Body
Amsterdamer Str. 174
D-50735 Köln

A company of the German
Insurance Association (GDV)
accredited by DAkkS as certifica-
tion body for fire protection and
security products



To guarantee the permanent quality of products a regular surveillance of the manufacturing process is performed.

This certificate comprises **4** pages and shall only be reproduced without any modifications and including all enclosures.

Date: 12-12-2018

Managing director

Head of certification body

Enclosure 1

Sheet 1

To Certificate No.: EN-ST-000087

Date : 12-12-2018

The approved component/system comprises the following parts:

Description of component	Type	Applicant's Registration No.	Approval number of component (only complete for system approval)
Magnetic contact ap/up consisting of: - Magnetic switch for recessed mounting in aluminium housing with thread $\varnothing 10 \times 36\text{mm}$ - bar magnet material ALNICO 500 $\varnothing 6 \times 30\text{mm}$ in aluminium housing with thread $\varnothing 10 \times 36\text{mm}$ Optional Accessory: - plastic plug - plug with magnet NEO $\varnothing 10 \times 10\text{mm}$ - Plastic housing (65x15x18)mm Aluminium housing in: - (74x25x13)mm - (74x25x13)mm with magnet NEO $\varnothing 10 \times 10\text{mm}$ - floor contact (102x40x15)mm - aluminium housing - (74x25x13)mm with magnet ALNICO $\varnothing 12 \times 60\text{mm}$ - with magnet NEO $\varnothing 10 \times 10\text{mm}$ - with magnet ALNICO $\varnothing 12 \times 60\text{mm}$ - aluminium angle bracket - aluminium angle bracket	MC 240 ap/up MC 200-1 MC 200-2 MC 200-3 MC 200-4 MC 200-5 MC 200-6 MC 200-7 MC 200-11 MC 200-12 MC 200-13 MC 200-14 MC 200-15		

Enclosure 2
Sheet 1

To Certificate No.: EN-ST-000087

Date : 12-12-2018

The approved component/system is described as follows:

Type of document	Manufacturer's identification	Date	Number of Pages
Installation Manual:			
- Installation and User Manual	MC240	05.05.2012	1
- Systemübersicht/Errichter-handbuch		26.05.1993	6
- Bill of material	MC 240	26.05.1995	1
- Construction drawing MC240	MC 200-1	04.01.1992	1
- Reed Switch Specification	Coto FR2S series	24.02.2006	1
- Montageanleitung		20.09.2008	1
- Datablad NM Gjutharts	NM Gjutharts 347	11.03.1993	1
- Kennzeichnungsvorschlag		26.05.1993	1
- Systemübersicht Zubehör		26.05.1995	2
- Montageanleitung-Zubehör		26.05.1995	2
Drawings:			
- MC 200-1	3-200-1	29.04.1993	1
- MC 200-3	3-200-32	26.05.1995	1
- MC 200-4	4-200-4	02.04.1993	1
- MC 200-5	4-200-5	02.04.1993	1
- MC 200-6 C	4-200-6 C	02.04.1993	1
- MC 200-6 M	4-200-6 M	02.04.1993	1
- MC 200-7	4-200-7	02.04.1993	1
- Aluminumwinkel, MC 400-1	4-400-1	02.04.1993	1
- Aluminiumwinkel, Z-Bracket	A3-200-16	02.04.1996	1



Enclosure 3

Sheet 1

To Certificate No.: EN-ST-000087

Date : 12-12-2018

Instructions for the application of the approval component/system (see enclosure 1):

1. The device should not be used in/on material with ferromagnetic properties.
2. The device complies with the requirements of SSF1014 and with Security Grade 2 of EN 50131-2-6 and Environmental Class IIIA according to EN 50130-5.